

Overview

This scenario takes place at a house party gone awry, a fight has occurred between friends and some people have passed out from too much drinking. On top of that, there is loud music playing and the lights are low, not total darkness, but atmospheric. The scenario is designed to test a team's communication skills and their ability to work with an unhelpful SERC environment.

Team Brief:

You are a group of housemates going for pre-drinks at a friend's house for their 21st birthday before going out to the club. The house's address is 29 Rossington Road, Sheffield, S11 8SA.

As you arrive you realise that it has evolved from pre-drinks into a full scale house party! Unfortunately (or fortunately?) you have not had any alcohol beforehand, and even worse, you were hoping to charge your phones when you got there! Because of this none of your phones have any usable battery. Oh well, you can charge them once you've gone in...

Note on safety: You will be entering a loud environment, foam earplugs are available should you wish to use them, please leave the SERC and/or alert an official if the noise is too much

Casualty list:

- Unc B
- Head bleed w/ broken wrist
- Glass in hand
- Choking on an ice cube
- Hypoglycaemic (designated driver who has phone, already dialled 999, allergic to dairy)
- Unc NB


Prop list:

- Bluetooth Speaker
- Laptop/Tablet (plays music through Bluetooth speaker)
- Phone (Live phone)
- Fake glass
- Fake blood (red marker)
- Fake vomit for C1
- Fake vomit for C6 (green non-permanent marker)
- Adult CPR manikin
- Cups for people to hold
- Bottle of Lucozade
- Pack of Chocolate Buttons
- Tables
- Sofa/two chairs
- Fairy lights
- Hearing protection for judges, casualties, and candidates

Captains' Brief

- Out Of Bounds Info
- Communication Live
- Full FAK

Map



Map Key:

- 1: Unc B
- 2: Broken wrist & Head Bleed
- 3: Glass in hand
- 4: Choking on an ice cube
- 5: Hypoglycaemic w/ phone
- 6: Unc NB
- A: Chocolate Buttons
- B: Various empty cups of alcohol
- C: Laptop/tablet controlling speaker (able to be turned off) which can be turned off
- D: Full First Aid Kit under the table
- E: Lucozade/Any other brand of isotonic sports drink
- F: Speaker

Casualty Briefs

Casualty 1:

Will/Billie - Unconscious Breathing
Adult/Regurgitating

What's happened

Had too much to drink and passed out on the floor on their front, if rolled the agitation will cause them to throw up.

Other information

If rolled, gag as if about to vomit, do this for 5 seconds, and then make noises as if vomiting.

Treatment

You should be treated by being rolled from your front to your back, when vomiting you should be rolled onto your side, you will then be placed in the recovery position.

Casualty 2:

Patrick/Patricia - Head bleed/Broken Wrist

Signs/Symptoms

Crying with C3 leaning on them, holding wrist, bleeding from forehead

What's happened

Got into an alcohol induced argument with **C3** and tried to punch **C3**, missing and hitting the wall, in self defence **C3** hit them over the head with a glass bottle which smashed. Immediately after this they regretted the argument and made up with **C3**.

Knowledge

Your name is Patrick/Patricia, your best friend is called Jon/Julia and you are their +1 for the night. The host is Tom/Tamsin.

Equipment

None

Miscellaneous

You should be treated by having pressure applied to your head (preferably with a bandage) and having your arm immobilised (most likely in a sling).

You will be cooperative but crying loudly and drawing attention to yourself.

If questioned (unless the music is off ask for questions to be repeated a couple of times):

- You have no medical conditions
 - Ate dinner a few hours ago
- You've lost your phone (start crying even more as you've only just realised you've lost it)
 - No knowledge of first aid kit
- You know no one other than Jon/Julia as you are their +1
- You got into a pathetic minor spat with Jon/Julia over a drunk misunderstanding for which you were the aggressor, you tried to punch them but missed and hit the wall, they hit you over the head with a glass bottle, you regret the fight
 - You don't know if anyone is missing
 - You are not first aid trained

Casualty 3:

Jon/Julia - Impaled hand

Signs/Symptoms

Crying while leaning on **C2**, hand is bleeding with glass sticking out of it

What's happened

Got into an alcohol induced argument with **C2** and dodged a punch from **C2**, in self defence they hit **C2** over the head with a glass bottle which smashed. Immediately after this they regretted the argument and made up with **C2**

Knowledge

Your name is Jon/Julia, your best friend is called Patrick/Patricia

Equipment

None

Miscellaneous

You should be treated by having pressure applied to your hand. You will be cooperative but tipsy and a tad shy so only mention the hand injury if asked

If questioned (unless the music is off ask for questions to be repeated a couple of times):

- You have no medical conditions
- You had dinner with Patrick/Patricia
- Your phone is at home as you're on a technology detox
 - No knowledge of first aid kit
- You know the host is Tom/Tamsin and your +1 is Patrick/Patricia, otherwise you know no one
- Patrick/Patricia attacked you over a drunk misunderstanding, you struck out with a glass bottle in self-defence and accidentally hit them over the head, only mention the glass in your hand if you are specifically asked if you are alright
- You don't know if anyone is missing
 - You are not first aid trained

Casualty 4:

Tom/Tamsin - Choking on ice, partial into full

Signs/Symptoms

Clutching throat, coughing at first, but devolves into ineffective coughs after 15 seconds, no matter how well they are treated.

What's happened

Was having their drink when a small bit of ice accidentally went down the wrong way

Knowledge

Your name is Tom/Tamsin and you are the host of the party. You know all the guests but are a bit too drunk to remember their names. You know where the first aid kit is. Your laptop/tablet is connected to the bluetooth speaker and is playing the music

Equipment

None

Miscellaneous

You should be treated by being encouraged to cough, then, once devolved, by having 5 back blows delivered at which point the object will clear. DO NOT PERMIT ANYONE TO ATTEMPT ABDOMINAL THRUSTS. You will be cooperative but drunk and with slurred speech. If the music is turned off you will complain about how the vibe has been ruined.

If questioned (unless the music is off ask for questions to be repeated a couple of times):

- You have no medical Conditions
 - You last ate when having dinner with Will/Billie
- Your phone's battery died and is charging in your room, if they want to add to the playlist your laptop/tablet is on the table
 - You can turn the music off but it will ruin the vibe
- There is a first aid kit under the table with the speaker on it
 - You know everyone but you're awful with names
- You saw **C2** and **C3** fighting and was so shocked that you started choking on some ice
- You don't think anyone is missing but also not everyone has arrived
 - You are not first aid trained

Casualty 5:

Peter/Petra - Hypoglycaemic

Signs/Symptoms

Confused, appears drunk, tired

What's happened

Is sober and a designated driver, however also forgot to eat today and is having a hypoglycaemic emergency. Called 999 when **C6** collapsed but can't hear the operator over the music so has told them nothing

Knowledge

Your name is Peter/Petra, you know the host is Tom/Tamsin, you have diabetes and you haven't eaten since breakfast. You are allergic to dairy.

Equipment

Phone

Miscellaneous

You should be treated by being provided with a sugary drink. If provided with a pack of chocolate buttons you refuse it as you are lactose intolerant. If untreated all answers will be given with some hesitation and confusion, you may have to ask questions to be repeated. Once provided with the sugary drink you will perk up and appear much more sober, you will be cooperative.

If questioned (unless the music is off and you have been treated ask for questions to be repeated a couple of times):

- You normally skip breakfast and had a long day at work so missed lunch, you then didn't have time to eat before having to go out
- You have your phone on you and you already dialled 999 when you saw Colin/Colleen collapse
- You don't know where a first aid kit is but you think Tom/Tamsin will know
- You know Tom/Tamsin and Will/Billie is your partner who you think is just having a nap, otherwise the rest of your friends are yet to arrive
- You were dancing when you saw **C2** and **C3** fighting, you then saw **C6** collapse and started to call 999 when the team arrived
- You don't think anyone is missing as most of your friends haven't arrived yet
 - You are not first aid trained

Casualty 6:

Colin/Colleen - Unconscious Non-Breathing Adult

What's happened

Had too much to drink, passed out on the floor and choked on their vomit (represented by green marker around the manikin's mouth).

Knowledge

N/A

Equipment

N/A

Miscellaneous

Should be treated with CPR, preferably with a pocket mask


If questioned:

N/A

Phone script:

Do not deviate from the script, only accept answers to questions you have previously asked (e.g. don't accept 'team of four trained lifesavers' until you have asked for any other information)

Do not take any answers unless you can clearly hear them (I.E. the background music has been turned down/off)



Mark Schemes w/ Judging Allocations

Judge 1:

Team _____

Casualty 1: Will/Billie - Unconscious Breathing Adult Who Regurgitates

Identification And Assessment	1	2	3	4	5	6	7	8	9	10
Safe Roll	1	2	3	4	5	6	7	8	9	10
Action For Regurgitation	1	2	3	4	5	6	7	8	9	10
Recovery Position	1	2	3	4	5	6	7	8	9	10
Questioning And Aftercare (Monitor Breathing)	1	2	3	4	5	6	7	8	9	10
Comments										

Signed _____

Judge 2:

Team _____

Casualty 2: Patrick/Patricia - Head Bleed/Broken Wrist

Identification And Assessment	1	2	3	4	5	6	7	8	9	10
Treatment Of Head Bleed	1	2	3	4	5	6	7	8	9	10
Use Of Gloves	1	2	3	4	5	6	7	8	9	10
Treatment Of Broken Wrist	1	2	3	4	5	6	7	8	9	10
Questioning And Aftercare	1	2	3	4	5	6	7	8	9	10

Casualty 3: Jon/Julia – Impaled Hand

Identification And Assessment	1	2	3	4	5	6	7	8	9	10
Effective Treatment	1	2	3	4	5	6	7	8	9	10
Use Of Gloves	1	2	3	4	5	6	7	8	9	10
Questioning And Aftercare	1	2	3	4	5	6	7	8	9	10

Comments	

Signed _____

Judge 3

Team _____

Casualty 4: Tom/Tamsin - Choking On Ice, Partial Into Full

Identification And Assessment	1	2	3	4	5	6	7	8	9	10
Encouraged To Cough	1	2	3	4	5	6	7	8	9	10
Five Back Blows	1	2	3	4	5	6	7	8	9	10
Questioning And Aftercare	1	2	3	4	5	6	7	8	9	10
Comments										

Signed _____

Judge 4

Team _____

Casualty 5: Peter/Petra - Hypoglycaemic

Identification And Assessment	1	2	3	4	5	6	7	8	9	10
Effective Treatment	1	2	3	4	5	6	7	8	9	10
Questioning And Aftercare	1	2	3	4	5	6	7	8	9	10
Comments										

Signed _____

Judge 5

Team _____

Casualty 6: Colin/Colleen - Unconscious Non-Breathing Adult

Identification And Assessment	1	2	3	4	5	6	7	8	9	10
Quality Of CPR	1	2	3	4	5	6	7	8	9	10
Continuation Of CPR	1	2	3	4	5	6	7	8	9	10
Use Of Pocket Mask	1	2	3	4	5	6	7	8	9	10
Comments										

Signed _____

Judge 6

Team _____

Overall

Effective Prioritisation	1	2	3	4	5	6	7	8	9	10
Effective Control	1	2	3	4	5	6	7	8	9	10
Effective Communication	1	2	3	4	5	6	7	8	9	10
Effective Captaincy	1	2	3	4	5	6	7	8	9	10
Comments										

Signed _____

Judge 7

Team _____

Phone (in separate room)

Request For Ambulance	1	2	3	4	5	6	7	8	9	10
Request For AED	1	2	3	4	5	6	7	8	9	10
Correct Address (29 Rossington Road, Sheffield, S11 8SA)	1	2	3	4	5	6	7	8	9	10
Unconscious Breathing Adult	1	2	3	4	5	6	7	8	9	10
Head Bleed w/ Broken Wrist	1	2	3	4	5	6	7	8	9	10
Impaled Hand	1	2	3	4	5	6	7	8	9	10
Choking	1	2	3	4	5	6	7	8	9	10
Hypoglycaemia	1	2	3	4	5	6	7	8	9	10
Unconscious Non-Breathing Adult	1	2	3	4	5	6	7	8	9	10
Extra Information (e.g. 6 Casualties, 4 Trained Lifesavers, Lactose Intolerant Casualty etc.)	1	2	3	4	5	6	7	8	9	10
Comments										

Signed _____

Mark scheme with weighting: /540

Casualty 1: Will/Billie - Unconscious Breathing Adult Who Regurgitates /65

Treatment	Weighting
Identification And Assessment	1.0
Safe Roll	1.0
Action For Regurgitation	2.0
Recovery Position	1.5
Questioning And Aftercare (Monitor Breathing)	1.0

Casualty 2: Patrick/Patricia - Head Bleed/Broken Wrist /65

Treatment	Weighting
Identification And Assessment (Head Bleed AND Broken Wrist)	1.5
Treatment Of Head Bleed	2.0
Use Of Gloves	0.5
Treatment Of Broken Wrist	1.0
Questioning And Aftercare	1.5

Casualty 3: Jon/Julia – Impaled Hand /45

Treatment	Weighting
Identification And Assessment	1.5
Effective Treatment	1.0
Use Of Gloves	0.5
Questioning And Aftercare	1.0

**Casualty 4: Tom/Tamsin - Choking On Ice, Partial
Into Full /65**

Treatment	Weighting
Identification And Assessment	1.5
Encourage To Cough	1.5
Five Back Blows	2.0
Questioning And Aftercare	1.5

Casualty 5: Peter/Petra - Hypoglycaemic /35

Treatment	Weighting
Identification And Assessment	1.5
Effective Treatment	1.0
Questioning And Aftercare	1.0

**Casualty 6: Colin/Colleen - Unconscious
Non-Breathing Adult /70**

Treatment	Weighting
Identification And Assessment	1.0
Quality Of CPR	2.0
Continuation Of CPR	2.0
Use Of Pocket Mask	1.5

Overall judge /90

Treatment	Weighting
Effective Prioritisation	1.5
Effective Control	2.5
Effective Communication	2.0
Effective Captaincy	2.0

Phone judge (in separate room) /105

Treatment	Weighting
Request For Ambulance	1.0
Request For AED	0.5
Correct Address	1.0
Unconscious Breathing Adult	1.5
Head Bleed w/ Broken Wrist	1.5
Impaled Hand	1.0
Choking	1.0
Hypoglycaemia	0.5
Unconscious Non-Breathing Adult	2.0
Extra Information	0.5